OCT-28-2005 FRI 16:33 FAX NO. P. 05/41

Customer No.: 31561 Docket No.: 10997-US-PA

Application No.: 10/604,247

In The Claims

1. (currently amended) A method for managing an access operation for a [[big-size]]

nonvolatile memory having a plurality of blocks that includes a data block for storing original

data, and a writing block for [[data]] temporary data storage [[used]] in the access operation,

wherein each of the blocks has a plurality of pages and each of the pages has multiple sectors,

the method comprising:

setting at least one of the blocks as a page cache block; and

when a host requests to write a data to a storage device, and a size of the data distributes

over at least one page, writing at least a portion of the data distributed in a last page of the at

least one page into the page cache block, writing a last page of a data, which is desired to be

written into the writing block, into one available page of the page cache block.

2. (currently amended) The method of claim 1, wherein if [[a]]the size of the data [[needs

not to cross a page]]is not larger than a page size, then the data is directly written into the page

cache block.

3. (currently amended) The method of claim 1, wherein if the size of the data distributes at

least two pages, the portion of the data distributed in the last page is written to the page cache

block while the other portion of the data is written into the writing block. if a size of the data

needs-to-cross-one-page-then-the-last-page of the-data-is-written-into the page cache block.

4. (currently amended) The method of claim 1, wherein if the data is to be written to a

sector belonging to a specific page, and at least one previous page before the specific page has

not yet been written into the writing block with the corresponding data, then the at least one

4

OCT-28-2005 FRI 16:33 FAX NO. P. 06/41

Customer No.: 31561 Docket No.: 10997-US-PA

Application No.: 10/604,247

previous page is copied from the data block into the writing block and the specific page is

written to the page cache block. when the data is to-be written to a specific sector which is

belonging to a specific page-but is not belonging to a first page, the previous pages before the

specific pages are copied from the data-block into the writing block, and the specific page

containing the specific-sector is written to the page cache-block-

5. (currently amended) A block structure for a [[big-size]] nonvolatile memory that has a

plurality of blocks including a data block, and a writing block for temporary data storage in an

access operation, wherein each of the blocks has multiple pages, and each of the pages has

multiple sectors, the block structure further comprising:

a page cache block, used for storing at least a last portion of a data, being requested by a

host to write to a storage device in the access operation, wherein the data is distributed over at

least one page and the last portion of the data is distributed to a last page of the at least one page.

for storing a latest page with respect to the writing block when a data is to be written into the

writing block for an access operation.

6. (currently amended) The block structure of claim 5, wherein if the data has a size

within a page size, the data is stored in the page cache, the latest page is a last page of the data,

which is desired to be written into the writing-block.

7. (currently amended) The block structure of claim 5, wherein another portion of the

data requested by the host other than the last portion of the data is temporarily stored in the

writing block. the data to be written to the writing block is grouped by a page unit, and a last

page is stored in page cache block.

5

OCT-28-2005 FRI 16:34 FAX NO. P. 07/41

Customer No.: 31561 Docket No.: 10997-US-PA Application No.: 10/604,247

8. (currently amended) The block structure of claim 5, wherein the writing block is used for temporarily storing [[a]]the data, requested by the host to write to the storage device. which is associating with the data block.

9. (original) The block structure of claim 5, wherein the writing block and the data block can be swapped when the writing block is fully written.

10. (currently amended) The block structure of claim 5, wherein if a size of the data is within a page size, the whole data is belonging to the last page and is directly written into the page cache, if a size of the data is not greater than a size of one page, then the data is directly stored into the page cache block.

11. (currently amended) The block structure of claim 5, wherein if a size of the data is greater than a page size, one page, then only a portion of the data distributed in the last page of the at least one page is stored into the page cache block.